





190.00<sup>+0.80</sup><sub>0</sub>



165.00<sup>+0.80</sup><sub>0</sub>

43.00<sup>+0.50</sup><sub>0</sub>

NOTE:

1. DE-BURR EGDE AS INDICATED  
BURR HIGH LESS 10 % THICKNESS .
2. QUALITY CONTROL DIMENSION MARK IN ' ' .
3. ALL MATERIAL USED IN THE CONSTRUCTION OF THIS COMPONENT OR ASSEMBLY(INCLUDING RAW STOCK, COATINGS, HARDWARE, GASKET ETC.) SHALL COMPLY WITH THE LATEST REVISION OF SHUTTLE RoHS-COMPLIANT SPECIFICATION.
4. ALL OF SURFACE SHOULD BE DEGREASED.

				TOL±								MATERIAL		DATE		SHEET		TOTAL SHEETS		REV		
				RANGE	M1	M2	S1	S2	P1	P2	C	B			19-03-13		1		1		1.0	
				0~6	0.05	0.1	0.15	0.2	0.05	0.1	0.5	0.15	UNIT	mm	SCALE	1.000	DRAWING NAME		ASM_CASE_DH310V2			
				6~30	0.1	0.2	0.15	0.25	0.1	0.15	1	0.15	DESIGN	CHECKED	APPROVED	PART NO.						
				30~80	0.15	0.25	0.2	0.3	0.2	0.4	2	0.25	FALSE		MODEL NAME		DH310V2 SHUTTLE					
				80~180	0.15	0.3	0.25	0.45	0.4	0.8	3	0.25										
				180~315	0.2	0.5	0.4	0.6	0.6	1.2	4	0.3										
				315~800	0.3	0.8	0.7	1.1	0.8	1.5	5	0.5										
ITEM	CONTENS OF CHANGE	RVS	CHK	APV	D/M/Y																	