






190.00<sup>+0.80</sup><sub>0</sub>



165.00<sup>+0.80</sup><sub>0</sub>

43.00<sup>+0.50</sup><sub>0</sub>

- NOTE:
- DE-BURR EGDE AS INDICATED  
BURR HIGHT LESS 10 % THICKNESS .
  - QUALITY CONTROL DIMENSION MARK IN .
  - ALL MATERIAL USED IN THE CONSTRUCTION OF THIS COMPONENT OR ASSEMBLY(INCLUDING RAW STOCK, COATINGS, HARDWARE, GASKET ETC.) SHALL COMPLY WITH THE LATEST REVISION OF SHUTTLE RoHS-COMPLIANT SPECIFICATION.
  - ALL OF SURFACE SHOULD BE DEGREASED.

						TOL±											MATERIAL			DATE	Dec. 11, 2020	SHEET	1	TOTAL SHEETS	1	REV	1.1
						RANGE	M1	M2	S1	S2	P1	P2	C	B													
						0~6	0.05	0.1	0.15	0.2	0.05	0.1	0.5	0.15	UNIT		mm	SCALE		1.000	DRAWING NAME		ASM_CASE_DH470				
						6~30	0.1	0.2	0.15	0.25	0.1	0.15	1	0.15	DESIGN			CHECKED			APPROVED		PART NO.				
						30~80	0.15	0.25	0.2	0.3	0.2	0.4	2	0.25	FALSE						MODEL NAME		DH470		SHUTTLE		
						80~180	0.15	0.3	0.25	0.45	0.4	0.8	3	0.25													
						180~315	0.2	0.5	0.4	0.6	0.6	1.2	4	0.3													
ITEM	CONTENS OF CHANGE																										
						RVS	CHK	APV	D/M/Y																		
						315~800	0.3	0.8	0.7	1.1	0.8	1.5	5	0.5													